



(Use several sheets if necessary)

ATTY.DOCKET NO.
00007/01UTL

SERIAL NO.
09/901,782

TECH CENTER 1600/2900

JUN 06 2002

RECEIVED

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

	DOCUMENTNO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
CS	WO 01/16375 A2	08.03.2001	United States	C12Q	1/68	x	
	WO 00/36151 A1	22.06.2000	United States	C12Q	1/68	x	
	WO 00/06770	10.02.00	Great Britian	C12 Q	1/68	x	
	WO 1/23610 A2	05.04.2001	Great Britian	C12Q	1/68	x	
	WO 99/05315	04.02.99	Great Britian	C12Q	1/68	x	
	WO 00/60114	12.10.00	Great Britian	C12Q	1/68	x	
	WO 0036151 A1	22.06.2000	United States	C12Q	1/68	x	
	WO 00/70073	23.11.00	United States	C12P	19/34	x	
✓	WO 01/25480 A2	12.04.2001	Great Britian	C12Q	1/68	x	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

PTO-FB-A820 Patent and Trademark Office-U.S. Department of Commerce (Modified)

RECEIVED

JUN 06 2002

INFORMATION DISCLOSURE CITATION  (Use several sheets if necessary)		ATTY.DOCKET NO. 00007/01UTL	SERIAL NO. 09/901,782
APPLICANT Hardin, Susan			
FILING DATE 07/09/2001	GROUP 1633-1631		

TECH CENTER 1600/2900

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

RECEIVED

OCT 30 2002

TECH CENTER 1600/2900

FOREIGN PATENT DOCUMENTS

	DOCUMENTNO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Papers, Etc.)

CS	1	Nature 1986 Jun 12; 321(6071):674-679. Smith LM, et. al. Fluorescence detection in automated DNA sequence analysis.
	2	Nucleic Acids Res 1997 Nov 15; 25(22):4500-4505. Rosenblum BB, et. al. New dye-labeled terminators for improved DNA sequencing patterns.
	3	Science 2001 Feb 16;291(5507):1304-1351. Venter JC, et.al. The sequence of the human genome.
	4	Nature 1995 Aug 31;376(6543):796-797. Reeve, MA, et. al. A novel thermostable polymerase for DNA sequencing.
	5	Proc Natl Acad Sci USA 1995 Jul 3; 92(14):6339-6343. Tabor S, et.al. A single residue in DNA polymerases of the Escherichia coli DNA polymerase I family is critical for distinguishing between deoxy-and dideoxyribonucleotides.
	6	Genome Res 1998 Mar; 8(3): 175-185. Ewing, B. et. al. Base-calling of automated sequencer traces using phred. I. Accuracy assessment.
	7	Proc Natl Acad Sci USA 1989 Sept; 86(18): 6917-6921. Studier FW. A strategy for high-volume sequencing of cosmid DNAs: random and directed priming with a library of oligonucleotides.
↓	8	Gene 1990 Nov 30; 96(1): 121-124. Siemieniak DR, et. al. A library of 3342 useful nonamer primers for genome sequencing.

RECEIVED

JUN 06 2002

 C		9	Science 1992 Dec 11; 258(5089):1787-1791. Kieleczawa J, et.al. DNA sequencing by primer walking with strings of contiguous hexamers.
		10	Proc Natl Acad Scie USA 1993 May 1;90(9):4241-4245. Kotler LE, et.al.
		11	Biotechniques 1994 Apr;16(4):645-646. Burbelo PD, et.al. Rapid plasmid DNA sequencing with multiple octamer primers.
		12	Genome Res 1996 Jun;6(6):545-550. Hardin SH, et.al. Octamer-rimed cycle sequencing: design of an optimized primer library.
		13	Nucleic Acids Res 1998 Jun 1;26(11):2824-2826. Jones, LB, et.al. Octamer-primed cycle sequencing using dye-terminator chemistry.
		14	Nucleic Acids Res 1998 Nov 15;26(22):5225-5227. Ball, S. et. al. The use of tailed octamer primers for cycle sequencing.
		15	Nucleic Acids Res 2000 Apr 1;28(7):E22. Mei, G. et. al. Octamer-primed sequencing technology:development of primer identification software.
		16	Nucleic Acids Res 2001 May 15; 29(10):E48. Kraltcheva AI, et. al. Octamer-primed sequencing technology; effects of dNTP supplementation.
		17	Genet Anal Tech App 1991 Feb;8(1):1-7 Davis LM, et.al. Rapid DNA sequencing based upon single molecule detection.
		18	Anal Chem 1999 Jul 15;71(14):2850-2857. Sauer M, et. al. Interaction of chemically modified antisense oligonucleotides with sense DNA: a label-free interaction study with reflectometric interference spectroscopy.
		19	Nucleic Acids Res 1999 Aug 1;27(15):3057-3063. Mitsis PG, et.al. Characterization of the interaction of lambda exonuclease with the ends of DNA.
		20	Cytometry 1999 Jul 1;36(3):163-168.Dapprich J Single-molecule DNA digestion by lambda-exonuclease.
		21	J Biol Chem 1998 Sep 4;273(36):23558-23566. Li, Xy et. al. Stimulation of open complex formation by nicks and apurinic sites suggests a role for nucleation of DNA melting in Escherichia coli promoter function.
		22	Nature 1996 Jul 18;382(6588):278-281. Eom, SH.et.al. Structure of Taq polymerase with DNA at the polymerase active site.
		23	EMBO J 1998 Dec 15; 17(24):7514-7525. Li Y, et.al. Crystal structures of open and closed forms of binary and ternary complexes of the large fragment of Thermus aquaticus DNA polymerase I: structural basis for nucleotide.
		24	Protein Science 1998 May; 7 (5): 1116-1123. Li, Y. et.al. Crystal structures of the Klenow fragment of Thermus aquaticus DNA polymerase I complexed with deoxyribonucleoside triphosphates.
TECH CENTER 1600/2900	OCT 30 2002	RECEIVED	Proc Natl Acad Sci USA 1997 Jan 21;94(2):479-484. Bedford E, et.al. The thioredoxin binding domain of bacteriophage T7 DNA polymerase confers processivity on Escherichia coli DNA polymerase I.
		26	Nucleic Acids Res 1990 Jul 11; 18(13):3739-3744. Eckert KA. et.al. High fidelity DNA synthesis by the Thermus aquaticus DNA polymerase.
		27	Nucleic Acids Res 1996 Sep 15; 24(18):3546-3551. Cline J, et.al. PCT fidelity of pfu DNA polymerase and other thermostable DNA polymerases.

RECEIVED

JUN 06 2002

CS	CPE JCB1 MAY 31 2002	REMARKS	Biochemistry 1998 Mar 3;37(9):2979-2990. Furey WS, et. al. Use of fluorescence resonance energy transfer to investigate the conformation of DNA substrates bound to the Klenow fragment.
	CPE JCB1 MAY 31 2002	REMARKS	Proc Natl Acad Sci USA 1993 Apr 1;90(7):2994-2998, Clegg RM, et.al. Observing the helical geometry of double-stranded DNA in solution by fluorescence resonance energy transfer.
	PATENT & TRADEMARK OFFICE	REMARKS	Braz J Med Biol Res 1993 Apr;26(4):405-416. Clegg RM, et. al. The four-way DNA junction: a fluorescence resonance energy transfer study.
		REMARKS	Anal Chem 1990 Sep 1;62(17):1786-1791. Mathies RA, et.al. Optimization of high-sensitivity fluorescence detection.
		REMARKS	J Mol Biol 1996 Mar 29;257(2):342-358. Lichtarge O., et. al. An evolutionary trace method defines binding surfaces common to protein families.
		REMARKS	J Mol Biol 1994 May 6;238(3):415-436. Antosiewicz J., et. al. Prediction of Ph-dependent properties of proteins.
		REMARKS	Eur Biophys J 1999;28(6):457-467. Blachut-Okrasinska E., et.al. Poisson-Boltzmann model studies of molecular electrostatic properties of the cAMP-dependent protein Kinase.
		REMARKS	Anal Biochem 1990 Dec; 191(2):396-400. Engelke DR., et.al. Purification of Thermus aquaticus DNA polymerase expressed in Escherichia coli.
		REMARKS	Hepatology 1998 Jun;27(6):1670-1677. Allen MI, et.al. Identification and characterization of mutations in hepatitis B virus resistant to lamivudine. Lamivudine Clinical Investigation Group.
		REMARKS	Hereditas 1998; 129(2):161-167. Allen M, et.al. High resolution genetic typing of the class II HLA-DRB1 locus using group-specific amplification and SSO-hybridisation in microplates.
		REMARKS	Nature 1989 Nov 16;342(6247):224-225. Sambrook J, et. al. Protein structure. Chaperones, paperones.
		REMARKS	Nat Biotechnol 1999 Aug;17(8):822-823. Murphy JC, et.al. Purification of plasmid DNA using selective precipitation by compaction agents.
		REMARKS	Biochemistry 1998 Mar 3;37(9):2979-2990. Furey WS, et. al. Use of fluorescence resonance energy transfer to investigate te conformation of DNA substrates bound to the Klenow fragment.
		REMARKS	Proc Natl Acad Sci USA 1989 Jun;86(11):4087-4091. Peck K, et.al. Single-molecule fluorescence detection: autocorrelation criterion and experimental realization with phycoerytherin.
		REMARKS	Physical Review Letters 1994 Jan 3;72(1): 160-163. Ambrose WP, et. al. Single molecule detection and photochemistry on a surface using near-field optical excitation.
	OCT 30 2002	RECEIVED	Anal Chem 1997 Oct 1;69(19):3915-3920. Castro, A. et. al. Single-molecule detection of specific nucleic acid sequences in unamplified genomic DNA
		RECEIVED	Genet Anal Tech Appl 1991 Feb;8(1):1-7. Davis, LM. et.al., Rapid DNA sequencing based upon single molecule detection.
		RECEIVED	Mem Inst Oswaldo Cruz 1992;87:235-239. Davis, WC. et.al, A rapid, reliable method of evaluating growth and viability of intraerythrocytic protozoan hemoparasites using fluorescence flow cytometry.
		RECEIVED	Anal Chem 1999 Jul 15;71(14):2850-2857. Sauer M, et. al. Interaction of chemically modified antisense oligonucleotides with sense DNA: a label-free interaction study with reflectometric interference spectroscopy.

TECH CENTER 1600/2900

RECEIVED

JUN 06 2002

TECH CENTER 1600/2900

COPY JC87 MAY 31 2002 PATENT & TRADEMARK OFFICE U.S. DEPARTMENT OF COMMERCE	47	Physical Review Letters 1990 Nov 19:65(21):2716-2719. Orrit, M.et.al. Single pentacence molecules detected by fluorescence excitation in a p-terphenyl crystal.
	48	Biotechniques 1999 Nov; 27(5):1008-1014. Unger, M.et.al. Single-molecule fluorescence observed with mercury lamp illumination.
	49	Hum Mut 1996; 7 (2):89-99. Zhuang J, et al. Direct sequencing of PCR products derived from cDNAS for the pro alpha I and pro alpha 2 chains of type I procollagen s a screening method to detect mutations in patients with osteogenesis imperfecta.
EXAMINER	<i>Carly SR</i>	DATE CONSIDERED
		1/13/03

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.
PTO-FB-A820 Patent and Trademark Office-U.S. Department of Commerce (Modified)

RECEIVED

OCT 30 2002

TECH CENTER 1600/2900